

This specification applies to our standard product. Everything is made to order so you are welcome to talk to us about any changes you would like.

Manufacturer

The Acorn Workshop, 21 Parkfield Avenue,
Bognor Regis PO213BW.
Tel: 07989 223 634
Email: sales@theacornworkshop.co.uk

Post

Green oak: 75mm x 75mm x 1.2m planed and finished with sanded edges, 22.5 degree angled top.

Installation

The length of the post allows for up to 600mm in the ground.

Certification

Green oak is PEFC™ certified.

Primadura Panel

Panel size A4 - 297mm x 210mm. Printed aluminium panels with a 10 year guarantee. Graffiti, fire and UV resistance. Secured in place with 3M (or similar) double-sided tape.


Backing Panel

307mm x 220mm Medite Tricoya suitable for outdoor use. Finished with Cuprinol Shades.

Fixings

Angled oak wedges alongside the post support the top panel. Made from air dried oak, fixed in place with security screws on each side.





Scale 1:50

Design

These panels are predesigned with wildlife or plant information. They feature simple text, a fun fact, quality photography and a wellbeing or supporting nature box. Your website and or logos can be added.

Contact us with the species you are interested in and we will send you proofs before you place your order.

Installation

Dig a hole for the post. We recommend 500-600mm, please check the height is suitable for you. Place the top section on top of the post. Use the security screws to fix it in place. Check the frame is level. Fix in place with a product like Postcrete, or as appropriate for your area.

PLEASE NOTE: the oak will stain black if it is touched by metal or concrete. These stains are not removable so please take care particularly when fixing in the posts.

These notes are just a guide. If you have any questions please speak to us for further guidance.

